

**PRODUCT
CATALOGUE**

**UNLOCK
YOUR BEST
RIDE**



TRELOCK



WE ARE TRELOCK


UNLOCK YOUR BEST RIDE.

With decades of expertise and technical know-how, TRELOCK develops solutions that not only meet the highest safety standards, but also enhance performance and comfort of every kilometer. With all our products, we focus on enhancing the riding experience of our customers with cutting-edge technology.

Our engineers are based in Germany and constantly innovate intuitive and seamless solutions to make your next ride the best you ever had. A great variety of premium quality locks and lights ensure safer rides and peak performance.

In this catalogue, we present our wide range of products and answer important questions about our portfolio and services. If you have any further questions, please feel free to contact our customer service:

TRELOCK GmbH
Johann-Krane-Weg 37
D-48149 Münster
+49 251 919990
trelock@allegion.com



Or search for your personal contact online to discuss customised solutions for your business. We look forward to assisting you.

EUROPEAN ENGINEERING AND PRODUCTION LINES

With a strong team of engineers based in Münster [Germany], we work every day to further develop our products to the highest level. These experts are passionate cyclists themselves and have a keen eye for beneficial features that really make a difference. Although we are a globally active company, many of our products are produced in Europe, where we pay highest attention to detail.

With our light factory in Clamecy [France] and the ring lock factory in Veenendaal [the Netherlands], we're making a clear statement for top-tier quality, strong ESG standards and resilient supply chains. We invested heavily in recent years to have greater control over quality and processes, shorter lead times for a more reliable supply chain, and an increased independence from global disruptions. We want to actively safeguard and create jobs in Europe.

Because we believe true security starts long before our products reach the streets – it begins with how and where they are made.

CERTIFICATIONS

ART QUALITY MARK

Benchmark for verified theft protection

Our bike locks are predominantly certified with the ART Quality Mark – a leading security standard in the Netherlands and Belgium. This certification is awarded exclusively to products that have undergone rigorous testing and demonstrate proven high resistance against common burglary techniques.



The rating is expressed in stars, where the number of stars quantifies the lock's security strength. A lock with a higher star rating indicates significantly increased resistance to theft attempts, thereby substantially reducing the risk of a stolen bike. For insurance purposes in the Netherlands and Belgium, this certification is often a prerequisite to secure optimal coverage.

EUROPEAN SECURITY CERTIFICATIONS

Tailored standards for diverse risk profiles

In addition to the ART certification, there are several other recognised European security certificates, including:



These certifications reflect different testing protocols, each adapted to the country-specific theft methods, climatic conditions, and security requirements. For example, the tests consider varying tools, burglary techniques, or corrosion impacts caused by weather exposure.

By investing in these comprehensive security certifications, TRELOCK strategically maximise theft prevention and ensures long-lasting protection for your valuable equipment. With TRELOCK products, performance and security go hand in hand.

OUR SECURITY LEVELS



LEVEL 1 - 6

Locks in this category are meant to ensure quick locking for short stops. It is for additional, secondary security for middle price bikes. It's also for securing accessories (e.g. helmets).

LEVEL 7 - 12

This level provides safety for your daily life. You can use these locks as main protection for mid-priced bikes or as an additional lock for high-priced bikes and e-bikes.

LEVEL 13 - 18

Our highest safety level for night and day protection. Use it as main security for high-priced bicycles and e-bikes or as additional security in high risk areas.

KEY SERVICE

At www.trelock.de you have the option of reordering lost keys with our key service. All you need is your key number. You will find this on the key itself. As a dealer, you can also use the dealer access to enjoy exclusive benefits as a TRELOCK dealer.





FOLDING LOCKS

FOLDING LOCKS

MAXIMUM SECURITY. MINIMAL BULK.

TRELOCK folding locks represent the pinnacle of modern bicycle security: They're born from German engineering and refined through decades of expertise. As a core strength of the TRELOCK portfolio, our folding locks are the result of relentless innovation, combining intelligent design with premium quality materials.

- ✓ **The innovative lock head can be rotated 360 degrees**, allowing the entire length of the lock to be used effectively.
- ✓ **Each lock features hardened steel bars** connected by specially riveted joints, allowing for compact folding and high resistance against common theft tools.
- ✓ **The intuitive locking mechanism** ensures quick handling, while the flexible mounting systems make transport seamless on any frame type.
- ✓ **Whether for high-end e-bikes or performance-driven commuters**, TRELOCK folding locks provide a perfect balance between portability, usability, and top-tier security. They are the go-to choice for riders who expect more than just protection. They expect engineering excellence.
- ✓ **Trusted by professionals.** Preferred by cyclists who won't compromise.



OUR X-PRESS BRACKET

Many of our folding lock products come with the X-Press bracket. The new holding mechanism of the X-Press bracket makes it even easier to remove and insert the lock. To remove the lock, press the red button and the lock is released. To secure the lock in the bracket again, simply press the bracket arms together. A special highlight is the back of the bracket: here, a GPS Tracking Tag can be hidden. With the tags, the bike can be tracked via smartphone with minimal effort.

FOLDING LOCKS

FOLDING LOCKS



FS 280 TWO.GO® FS 280 TWO.GO® FS 280 TWO.GO® Code

SPECS	Length	80 cm	100 cm	100 cm
	Diameter link	2.5 mm	2.5 mm	2.5 mm

FEATURES	Automatic click-in	—	—	—
	Cylinder protected against dirt	✓	✓	✓
	Personalised code	—	—	✓
	360° rotatable head	✓	✓	✓
	Hidden tracking tag compartment	—	—	—
	Key service	✓	✓	—

SAFETY	Safety level	7/18	7/18	7/18
	ART (NL)	—	—	—
	FG (NO)	—	—	—
	Finance Finland (FI)	—	—	—
	SBSC (SE)	—	—	—
	Sold Secure (UK)	—	—	—
	Varefakta (DK)	—	—	—

INFO	Included	Mounting materials, 2 keys, X-MOVE bracket	Mounting materials, 2 keys, X-MOVE bracket	Mounting materials, X-MOVE bracket
	Product weight	560 g	700 g	750 g
	Art. no	8005556	8005557	8006105
	EAN code			
		4 016167 072657 >	4 016167 072664 >	8 713249 317106 >



FOLDING LOCKS

NEW FOLD-IT DAILY

THE EVERYDAY COMPANION. PRECISION IN EVERY DETAIL.

Discover our new folding lock, which offers reliable security and smart operation at an excellent price-performance ratio.

ompared to its predecessor, the Fold-it DAILY offers extended locking lengths (from 85 cm to 110 cm and from 100 cm to 130 cm) while maintaining a consistent, more compact design. Perfect for cyclists looking for practical theft protection without compromises.

- ✓ **Innovative cylinder:** Highly secure, power-key-resistant cylinder with drilling protection.
- ✓ **Robust construction:** 8 hardened steel elements - for more length and flexibility.
- ✓ **Improved usability:** Intuitive, visual key guidance and acoustic feedback when locking.
- ✓ **Flexible application:** Clicking into the 360° rotatable locking head.
- ✓ **Smart integration:** Integrated tracking tag compartment and X-Press bracket.
- ✓ **Soft overmolding:** TPE coating protects the frame from damage.



Go to product video



Fold-It
DAILY 110

Fold-It
DAILY 130

SPECS		
	Fold-It DAILY 110	Fold-It DAILY 130
Length	110 cm	130 cm
Diameter link	3 mm	3 mm
FEATURES	Automatic click-in	—
	Cylinder protected against dirt	✓
	Personalised code	—
	360° rotatable head	✓
	Hidden tracking tag compartment	✓
	Key service	✓
SAFETY	Safety level	10/18
	ART (NL)	—
	FG (NO)	—
	Finance Finland (FI)	—
	SBSC (SE)	—
	Sold Secure (UK)	✓ Bronze
	Varefakta (DK)	—
INFO	Included	Mounting materials, Add-It, 2 keys, X-PRESS bracket
	Product weight	955 g
	Art. no	8006334
	EAN code	 8 713249 365510 >





FOLDING
LOCKS



	FS 480 COPS®	FS 480 COPS® Twin	FS 480 COPS®	FS 580 TORO®
SPECS	Length	100 cm	100 cm	130 cm
	Diameter link	5 mm	5 mm	5.4 mm
FEATURES	Automatic click-in	—	—	✓
	Cylinder protected against dirt	✓	✓	✓
	Personalised code	—	—	—
	360° rotatable head	✓	✓	✓
	Hidden tracking tag compartment	✓	✓	—
	Key service	✓	✓	✓
SAFETY	Safety level	12/18	12/18	12/18
	ART (NL)	—	—	—
	FG (NO)	—	—	—
	Finance Finland (FI)	—	—	—
	SBSC (SE)	—	—	—
	Sold Secure (UK)	✓ Bronze	✓ Bronze	✓ Bronze
	Varefakta (DK)	✓	✓	✓
INFO	Included	Mounting materials, Add-It, 2 keys, X-PRESS bracket	Mounting materials, Add-It, 4 keys, X-PRESS bracket	Mounting materials, 2 keys, X-MOVE bracket
	Product weight	1300 g	2x 1300 g	1575 g
	Art. no	8006208	8005573	8005412
	EAN code			
		8 713249 340012 >	4 016167 072824 >	4 016167 070639 >

FOLDING LOCKS

FOLDING LOCK ACCESSORIES



SPECS	ZF 280/80 X-MOVE			
	Compatible with	FS 280 TWO.GO 80 cm	FS 280 TWO.GO 100 cm FS 280 TWO.GO Code	FS 380 TRIGO 85 cm FS 380 TRIGO Code
INFO	Hidden tracking tag compartment	—	—	✓
	Product weight	35 g	40 g	135 g
INFO	Art. no	8006113	8006114	8006221
	EAN code	8 713249 323695 >	8 713249 323718 >	8 713249 340920 >



SPECS	Fold-It DAILY 110 X-PRESS			
	Compatible with	Fold-It DAILY 110	Fold-It DAILY 130	FS 480 COPS 100 cm FS 480 COPS Twin
INFO	Hidden tracking tag compartment	✓	✓	—
	Product weight	140 g	160 g	135 g
INFO	Art. no	8006336	8006337	8005530
	EAN code	8 713249 365558 >	8 713249 365572 >	4 016167 072176 >



SPECS	ZF 580/90 X-PRESS	
	Compatible with	FS 580 TORO 90 cm
INFO	Hidden tracking tag compartment	✓
	Product weight	155 g
INFO	Art. no	8005552
	EAN code	4 016167 072619 >



SPECS	STRAP X-MOVE FS 280		
	Compatible with	FS 280 TWO.GO 80 cm FS 280 TWO.GO 100 cm FS 280 TWO.GO Code	FS380 85/100cm FS360 Code FS300 85/100cm
INFO	Product weight	10 g	15 g
	Art. no	8006353	8006354
INFO	EAN code	8 713249 369495 >	8 713249 369525 >



RING LOCKS



RING LOCKS

RING LOCKS

BUILT-IN CONVENIENCE. *EVERYDAY SECURITY.*

Ring locks from TRELOCK are engineered for daily riders who value speed and simplicity. Integrated into the bike frame, they provide instant security during quick stops, while optional plug-in chains add an extra layer of protection. Especially suited for commuters and city cyclists with electric or utility bikes.

Our ring locks are mainly produced in the Netherlands. Equipped with state-of-the-art technology, our fully automated production lines offer a consistently high standard of quality.

WHAT DOES AZ OR NAZ MEAN?

The term "AZ" stands for "removable key" and the term 'NAZ' stands for "non-removable key".



RING LOCKS

RING LOCKS



RS 560
AZ



RS 560
NAZ



RS 561
AZ



RS 561
NAZ

SPECS	Shackle	8.5 mm	8.5 mm	8.5 mm	8.5 mm
	Width opening	58 mm	58 mm	72 mm	72 mm
	Product length	158 mm	158 mm	158 mm	158 mm
	Product width	155 mm	155 mm	155 mm	155 mm
	Product height	43 mm	43 mm	43 mm	43 mm

FEATURES	Plug-in option	✓	✓	✓	✓
	Suitable for E-bike	✓	✓	✓	✓
	Key service	✓	✓	✓	✓

SAFETY	Safety level	15/18	15/18	15/18	15/18
	ART (NL)	—	✓ ★★	—	✓ ★★
	FG (NO)	✓	—	✓	—
	Finance Finland (FI)	✓	—	✓	—
	FUB (FR)	✓	✓	✓	✓
	SBSC (SE)	✓	—	✓	—
	Sold Secure (UK)	—	✓ Silver	—	✓ Silver
	Varefakta (DK)	✓	✓	✓	✓

INFO	Included	2 keys	2 keys	2 keys	2 keys
	Product weight	730 g	730 g	720 g	720 g
	Art. no	80062940KC	80062930KC	80062960KC	80062950KC
	EAN code	 8 713249 363561 >	 8 713249 363547 >	 8 713249 363608 >	 8 713249 363585 >



RS 480
AZ



RS 480
NAZ



RS 481
AZ



RS 481
NAZ

SPECS	Shackle	9 mm	9 mm	9 mm	9 mm
	Width opening	75 mm	75 mm	92 mm	92 mm
	Product length	170 mm	170 mm	170 mm	170 mm
	Product width	160 mm	160 mm	160 mm	160 mm
	Product height	40 mm	40 mm	40 mm	40 mm

FEATURES	Plug-in option	✓	✓	✓	✓
	Suitable for E-bike	✓	✓	✓	✓
	Key service	✓	✓	✓	✓

SAFETY	Safety level	13/18	13/18	13/18	13/18
	ART (NL)	—	✓ ★★	—	✓ ★★
	FG (NO)	✓	—	✓	—
	Finance Finland (FI)	✓	—	✓	—
	FUB (FR)	✓	✓	✓	✓
	SBSC (SE)	✓	—	✓	—
	Sold Secure (UK)	—	—	—	—
	Varefakta (DK)	✓	—	✓	—

INFO	Included	ZR 20 bracket and 2 keys	ZR 20 bracket and 2 keys	ZR 20 bracket and 2 keys	ZR 20 bracket and 2 keys
	Product weight	720 g	720 g	720 g	720 g
	Art. no	8006074	8006073	8006092	8006091
	EAN code	 8 713249 306506 >	 8 713249 306483 >	 8 713249 313580 >	 8 713249 313566 >

RING LOCKS

RING LOCKS

RING LOCK SETS



COMBINATION		RS 430 AZ Set	RS 480 AZ Set	RS 480 NAZ Set
	Ring lock	RS 430 AZ	RS 480 AZ	RS 480 NAZ
	Plug-in chain	ZR 355	ZR 355	ZR 355
	Chain length	100 cm	100 cm	100 cm
INFO	Pocket style	Pouch	Saddle bag	Saddle bag
	Product weight	1560 g	1880 g	1880 g
	Art. no	8005408	8006192	8006193
	EAN code	 4 016167 070547 >	 8 713249 336459 >	 8 713249 336466 >



COMBINATION		RS 560 AZ Set	RS 560 NAZ Set	RS 561 AZ Set	RS 561 NAZ Set
	Ring lock	RS 560 AZ	RS 560 NAZ	RS 561 AZ	RS 561 NAZ
	Plug-in chain	ZR 355	ZR 355	ZR 355	ZR 355
	Chain length	100 cm	100 cm	100 cm	100 cm
INFO	Pocket style	Saddle bag	Saddle bag	Saddle bag	Saddle bag
	Product weight	1730 g	1730 g	1720 g	1720 g
	Art. no	8006294CS1	8006293CS1	8006296CS1	8006295CS1
	EAN code	 8 713249 365015 >	 8 713249 364995 >	 8 713249 365053 >	 8 713249 365039 >

PLUG-IN CHAINS



SPECS		ZR 355	ZR 355
	Chain length	100 cm	150 cm
INFO	Chain diameter	6 mm	6 mm
	Product weight	925 g	1335 g
	Art. no	8005575	8005576
EAN code		 4 016167 072848 >	 4 016167 072855 >



RING LOCKS

PLUG-IN CHAINS SETS



ZR 355 Set ZR 355 Set ZR 455 Set ZR 455 Set

SPECS	Chain length	100 cm	150 cm	100 cm	140 cm
	Chain diameter	6 mm	6 mm	8 mm	8 mm
	Pocket style	Saddle bag	Saddle bag	Pouch	Pouch

INFO	Product weight	1000 g	1410 g	1875 g	2615 g
	Art. no	8006188	8006189	8003422	8002876
	EAN code	 8 713249 336411 >	 8 713249 336428 >	 4 016167 044609 >	 4 016167 039988 >

PLUG-IN CABLES



ZR 310 ZR 310 ZR 310

SPECS	Cable length	100 cm	150 cm	180 cm
	Cable diameter	10 mm	10 mm	10 mm

INFO	Product weight	370 g	410 g	515 g
	Art. no	8002878	8002879	8002880
	EAN code	 4 016167 040007 >	 4 016167 040014 >	 4 016167 040021 >

RING LOCK BRACKETS



ZR 20 1 piece ZR 20 Set of 10

INFO	Product weight	35 g	350 g
	Art. no	8001404	8003956
	EAN code	 4 016167 026933 >	 4 016167 049338 >

BAG AND POUCH



Saddle bag Pouch

SPECS	Max. load	2 kg	2 kg
-------	-----------	------	------

INFO	Product weight	115 g	130 g
	Art. no	8006164	8006112
	EAN code	 8 713249 332901 >	 8 713249 323602 >



U-LOCKS



U-LOCKS

U-LOCKS

THE BENCHMARK OF BIKE SECURITY.

With a reputation for strength and durability, TRELOCK U-locks are built for cyclists who take security seriously. Reinforced locking bolts and corrosion-resistant materials deliver dependable protection, even under extreme urban conditions. A staple for high-value bikes.



U-LOCKS



U4 MINI U4 U4 FLEX U4 PLUS

SPECS	Lock length	15 cm	23 cm	23 cm	23 cm
	Product length	205 mm	280 mm	280 mm	295 mm
	Product width	83 mm	102 mm	102 mm	108 mm
	Product height	35 mm	35 mm	35 mm	35 mm
	Shackle size	14 mm	14 mm	14 mm	14 mm

FEATURES	Bracket	ZB 401	ZB 401	ZB 401	ZB 401
	Extras			Flex cable, ZS 150	
	Key service	✓	✓	✓	✓

SAFETY	Safety level	12/18	13/18	13/18	14/18
	ART (NL)	—	—	—	—
	FG (NO)	—	—	—	✓
	Finance Finland (FI)	—	—	—	✓
	FUB (FR)	✓	—	—	✓
	SBSC (SE)	—	—	—	✓
	Sold Secure (UK)	✓ Bronze	✓ Silver	✓ Silver	✓ Gold
	Varefakta (DK)	—	—	—	—

INFO	Included	Mounting material, 2 keys	Mounting material, 2 keys	Mounting material, 2 keys	Mounting material, 2 keys
	Product weight	800 g	1075 g	1400 g	950 g
	Art. no	8005193	8005194	8005195	8005196
	EAN code	 4 016167 067448 >	 4 016167 067455 >	 4 016167 067462 >	 4 016167 067479 >



U5 MINI U5 MINI FLEX U6 U6 L

SPECS	Lock length	14 cm	17.5 cm	23 cm	30 cm
	Product length	195 mm	230 mm	295 mm	365 mm
	Product width	83 mm	83 mm	108 mm	108 mm
	Product height	35 mm	35 mm	35 mm	35 mm
	Shackle size	15 mm	15 mm	16 mm	16 mm

FEATURES	Bracket	ZB 401	ZB 401	ZB 401	ZB 401
	Extras		Flex cable, ZS 150		
	Key service	✓	✓	✓	✓

SAFETY	Safety level	15/18	15/18	17/18	17/18
	ART (NL)	✓ ★ ★	✓ ★ ★	—	—
	FG (NO)	—	—	—	—
	Finance Finland (FI)	✓	✓	✓	✓
	FUB (FR)	—	✓	—	✓
	SBSC (SE)	—	—	✓	✓
	Sold Secure (UK)	✓ Gold	✓ Gold	✓ Gold	✓ Gold
	Varefakta (DK)	✓	✓	—	—

INFO	Included	Mounting material, 2 keys	Mounting material, 2 keys	Mounting material, 2 keys	Mounting material, 2 keys
	Product weight	1050 g	1475 g	1420 g	1610 g
	Art. no	8005197	8005198	8005199	8005200
	EAN code	 4 016167 067486 >	 4 016167 067493 >	 4 016167 067509 >	 4 016167 067516 >

U-LOCKS

U-LOCKS

U-LOCK ADDITIONAL CABLES



ZS 150

ZS 180

SPECS	Cable length	150 cm	180 cm
	Cable diameter	10 mm	12 mm

INFO	Product weight	370 g	525 g
	Art. no	8002154	8002155
	EAN code	 4 016167 033931 >	 4 016167 033948 >

U-LOCK BRACKETS



ZB 401



ZB 402



ZB 403



ZB 501

SPECS	Frame size	15 - 55 mm	15 - 55 mm	5 - 17 mm	17 - 60 mm
	Type	Universal	Side	Universal	Variotex

INFO	Product weight	55 g	65 g	195 g	85 g
	Art. no	8000089	8000090	5T7302953	8000795
	EAN code	 4 016167 019188 >	 4 016167 019195 >	 8 713249 315164 >	 4 016167 022430 >

U-LOCKS





CHAIN LOCKS



CHAIN LOCKS

CHAIN LOCKS

HEAVY DUTY.
HIGH DETERRENCE.

TRELOCK chain locks bring together flexibility and formidable resistance to attack. Hardened steel links and advanced locking mechanisms make them a reliable choice in high-risk areas. Ideal for premium bikes, long stops and leaving your ride unattended overnight.



CHAIN LOCKS

CHAIN LOCKS



BC 115
60-4



BC 115
110-4



BC 115
60-4 Code



BC 115
110-4 Code

SPECS	Lock length	60 cm	110 cm	60 cm	110 cm
	Chain link diameter	4 mm	4 mm	4 mm	4 mm

FEATURES	Automatic click-in	✓	✓	—	—
	Cylinder protected against dirt	—	—	—	—
	Protection against drilling	—	—	—	—
	Key service	—	—	—	—

SAFETY	Safety level	3/18	3/18	3/18	3/18
	ART (NL)	—	—	—	—
	FG (NO)	—	—	—	—
	Finance Finland (FI)	—	—	—	—
	FUB (FR)	—	—	—	—
	SBSC (SE)	—	—	—	—
	Sold Secure (UK)	—	—	—	—
	Varefakta (DK)	—	—	—	—

INFO	Included	2 keys	2 keys	—	—
	Product weight	260 g	375 g	200 g	340 g
	Art. no	8004429	8004424	8004423	8004394
	EAN code				



BC 280
85-5



BC 280
85-5 Code



BC 380
85-7



BC 380
110-7

SPECS	Lock length	85 cm	85 cm	85 cm	110 cm
	Chain link diameter	5 mm	5 mm	7 mm	7 mm

FEATURES	Automatic click-in	✓	—	✓	✓
	Cylinder protected against dirt	✓	—	✓	✓
	Protection against drilling	✓	—	✓	✓
	Key service	✓	—	✓	✓

SAFETY	Safety level	6/18	6/18	9/18	9/18
	ART (NL)	—	—	—	—
	FG (NO)	—	—	—	—
	Finance Finland (FI)	—	—	—	—
	FUB (FR)	—	—	—	—
	SBSC (SE)	—	—	—	—
	Sold Secure (UK)	—	—	—	—
	Varefakta (DK)	—	—	—	—

INFO	Included	2 keys	—	2 keys	2 keys
	Product weight	690 g	650 g	1215 g	1510 g
	Art. no	8005433	8005434	8005432	8006139
	EAN code				

CHAIN LOCKS

CHAIN LOCKS

CHAIN LOCKS



BC 360
110-6 Code

SPECS	Lock length	110 cm
	Chain link diameter	6 mm
FEATURES	Automatic click-in	—
	Cylinder protected against dirt	—
	Protection against drilling	—
	Key service	—
SAFETY	Safety level	8/18
	ART (NL)	—
	FG (NO)	—
	Finance Finland (FI)	—
	FUB (FR)	—
	SBSC (SE)	—
	Sold Secure (UK)	—
	Varefakta (DK)	—
INFO	Included	—
	Product weight	1100 g
	Art. no	8004890
	EAN code	 4 016167 062283 >



CHAIN
LOCKS

CHAIN LOCKS

CHAIN LOCKS



BC 480
85-8

BC 480
110-7.5 Code

BC 480
110-8

BC 480
170-7.5 Code

SPECS	Lock length	85 cm	110 cm	110 cm	170 cm
	Chain link diameter	8 mm	7.5 mm	8 mm	7.5 mm

FEATURES	Automatic click-in	✓	—	✓	—
	Cylinder protected against dirt	✓	—	✓	—
	Protection against drilling	✓	—	✓	—
	Key service	✓	—	✓	—

SAFETY	Safety level	13/18	13/18	13/18	13/18
	ART (NL)	—	—	—	—
	FG (NO)	—	—	—	—
	Finance Finland (FI)	—	—	—	—
	FUB (FR)	—	—	—	—
	SBSC (SE)	—	—	—	—
	Sold Secure (UK)	—	—	—	—
	Varefakta (DK)	—	—	—	—

INFO	Included	2 keys	—	2 keys	—
	Product weight	1710 g	1880 g	2020 g	2605 g
	Art. no	8006140	8006155	8005431	8006156
	EAN code	 8 713249 330013	 8 713249 330037	 4 016167 070943	 8 713249 330051



BC 580
110-9

BC 680
110-9.5

LC 680
110-9.5

BA 660
Ground Anchor

SPECS	Lock length	110 cm	110 cm	110 cm	
	Chain link diameter	9 mm	9.5 mm	9.5 mm	14 mm

FEATURES	Automatic click-in	✓	✓	✓	—
	Cylinder protected against dirt	✓	✓	✓	—
	Protection against drilling	✓	✓	✓	—
	Key service	✓	✓	✓	—

SAFETY	Safety level	15/18	17/18	18/18	—
	ART (NL)	✓ ★★	✓ ★★	—	✓ ★★★★★
	FG (NO)	—	✓	✓	—
	Finance Finland (FI)	—	✓	✓	—
	FUB (FR)	—	—	—	—
	SBSC (SE)	—	✓	✓	—
	Sold Secure (UK)	✓ Gold	✓ Gold	—	✓ Silver
	Varefakta (DK)	—	✓	—	—

INFO	Included	2 keys	2 keys	2 keys	
	Product weight	2650 g	2940 g	3350 g	980 g
	Art. no	8005430	8005429	8006157	8005219
	EAN code	 4 016167 070936	 4 016167 070929	 8 713249 330075	 4 016167 068261



CABLE LOCKS



CABLE LOCKS

***FLEXIBLE.
LIGHTWEIGHT.
SECURE.***

Designed for dynamic use, TRELOCK cable locks offer versatile protection in low to medium-risk environments. Lightweight and easy to handle, they are ideal for securing accessories, secondary locking, or quick errands. Perfect for cyclists looking for practical, everyday security solutions.



CABLE LOCKS

CABLE LOCKS



KS 106
Black

KS 312
85 cm

KS 415
110 cm

SPECS	Lock length	60 cm	85 cm	110 cm
	Cable diameter	6 mm	12 mm	15 mm
	Safety level	1/18	3/18	4/18
FEATURES	Automatic click-in	—	✓	✓
	Cylinder protected against dirt	—	✓	✓
	Code freely adjustable	—	—	—
	Key service	—	✓	✓
INFO	Included	ZK 234 bracket, 2 keys		ZK 234 bracket, 2 keys
	Product weight	195 g	330 g	465 g
	Art. no	8005435	8005369	8005372
	EAN code	 4 016167 070981 >	 4 016167 070028 >	 4 016167 070059 >



KS 312
85 cm Code

KS 312
110 cm Code

KS 415
110 cm Code

SPECS	Lock length	85 cm	110 cm	110 cm
	Cable diameter	12 mm	12 mm	15 mm
	Safety level	3/18	3/18	4/18
FEATURES	Automatic click-in	✓	✓	✓
	Cylinder protected against dirt	—	—	—
	Code freely adjustable	✓	✓	✓
	Key service	—	—	—
INFO	Included	ZK 234 bracket	ZK 234 bracket	ZK 234 bracket
	Product weight	400 g	470 g	565 g
	Art. no	8005418	8005419	8005421
	EAN code	 4 016167 070691 >	 4 016167 070707 >	 4 016167 070721 >

CABLE LOCKS

CABLE LOCKS



SK 108
180 cm



SK 210
180 cm



SK 312
180 cm



SK 415
180 cm

SPECS	Lock length	180 cm	180 cm	180 cm	180 cm
	Cable diameter	8 mm	10 mm	12 mm	15 mm
	Safety level	1/18	2/18	3/18	4/18
FEATURES	Automatic click-in	—	—	—	—
	Cylinder protected against dirt	—	—	—	—
	Code freely adjustable	—	—	—	—
	Key service	✓	✓	✓	✓
INFO	Included	ZK 108 bracket, 2 keys	ZK 234 bracket, 2 keys	ZK 234 bracket, 2 keys	ZK 234 bracket, 2 keys
	Product weight	365 g	520 g	615 g	790 g
	Art. no	8005363	8005364	8005365	8005366
	EAN code	 4 016167 069961 >	 4 016167 069978 >	 4 016167 069985 >	 4 016167 069992 >



CABLE LOCKS

CABLE LOCKS

CABLE LOCKS



SK 108
180 cm Code



SK 210
180 cm Code



SK 312
180 cm Code



SK 415
180 cm Code

SPECS	Lock length	180 cm	180 cm	180 cm	180 cm
	Cable diameter	8 mm	10 mm	12 mm	15 mm
	Safety level	1/18	2/18	3/18	4/18

FEATURES	Automatic click-in	—	—	—	—
	Cylinder protected against dirt	—	—	—	—
	Code freely adjustable	✓	✓	✓	✓
	Key service	—	—	—	—

INFO	Included	ZK 108 bracket	ZK 234 bracket	ZK 234 bracket	ZK 234 bracket
	Product weight	360 g	590 g	730 g	960 g
	Art. no	8005414	8005415	8005416	8005417
	EAN code	 4 016167 070653 >	 4 016167 070660 >	 4 016167 070677 >	 4 016167 070684 >



PK 260
100 cm



PK 360
100 cm



PK 460
100 cm



PK 560
100 cm

SPECS	Lock length	100 cm	100 cm	100 cm	100 cm
	Cable diameter	15 mm	19 mm	22 mm	26 mm
	Safety level	4/18	5/18	6/18	7/18

FEATURES	Automatic click-in	—	—	—	—
	Cylinder protected against dirt	✓	✓	✓	✓
	Code freely adjustable	—	—	—	—
	Key service	✓	✓	✓	✓

INFO	Included	ZK 432 bracket	ZK 432 bracket	ZK 432 bracket	ZK 515 bracket
	Product weight	575 g	815 g	1220 g	1460 g
	Art. no	8004860	8004864	8004868	8004870
	EAN code	 4 016167 061989 >	 4 016167 062023 >	 4 016167 062061 >	 4 016167 062085 >

CABLE LOCKS

CABLE LOCKS

CABLE LOCKS



PK 260 Code
100 cm



PK 360 Code
100 cm

SPECS	Lock length	100 cm	100 cm
	Cable diameter	15 mm	19 mm
	Safety level	4/18	5/18
FEATURES	Automatic click-in	—	—
	Cylinder protected against dirt	—	—
	Code freely adjustable	✓	✓
	Key service	—	—
INFO	Included	ZK 320 bracket	ZK 320 bracket
	Product weight	555 g	805 g
	Art. no	8004862	8004866
	EAN code	 4 016167 062009 >	 4 016167 062047 >

CABLE LOCKS BRACKETS



ZK 108



ZK 234

INFO	Product weight	45 g	50 g
	Art. no	8005426	8005427
	EAN code	 4 016167 070882 >	 4 016167 070899 >



Strap it Black



Strap it Pink



Strap it Blue



RK 75 Pocket

SPECS	Lock length	53 cm	53 cm	53 cm	75 cm
	Cable diameter	10 mm	10 mm	10 mm	1.6 mm
	Safety level	1/18	1/18	1/18	1/18
FEATURES	Automatic click-in	—	—	—	—
	Cylinder protected against dirt	—	—	—	—
	Code freely adjustable	✓	✓	✓	✓
	Key service	—	—	—	—
INFO	Product weight	75 g	75 g	75 g	50 g
	Art. no	8006265	8006269	8006268	8005097
	EAN code	 8 713249 349350 >	 8 713249 351704 >	 8 713249 351735 >	 4 016167 065376 >

CABLE LOCKS



USB LIGHTS



USB LIGHTS

***BRIGHT. EFFICIENT.
RECHARGEABLE.***



TRELOCK USB lights are engineered for performance and simplicity. With powerful beams, long battery life, and intuitive USB-C charging, they keep cyclists visible and safe in low-light conditions. Designed for urban commuters and weekend explorers who refuse to compromise on visibility.



LIGHTHAMMER USB SERIES

FUTURE-PROOF DESIGN

Our bestseller is now even more powerful! The new TRELOCK Lighthammer set completes our USB-C series of rechargeable bicycle lighting.

The front light stands out with its 4 different light levels (10/40/80/100 Lux). The battery level indicator provides a clear overview of the battery life of up to 20 hours.

The handlebars also remain clear and tidy: thanks to the upside-down mounting, the headlight can be flexibly attached above or below the handlebar. A GoPro adapter is also included in the set for maximum design flexibility – allowing every rider to assemble the best solution for themselves.

The new rear light complements the set with its intelligent safety functions. During normal braking, acceleration sensors activate additional brake light LEDs to warn trailing traffic. In the event of abrupt braking, an emergency braking mode is activated, which generates fast, short flashing signals.



USB LIGHTS

USB LIGHT SETS



SPECS	Lux	80	100
	Rear light	Lighthammer Rear	Lighthammer Rear
	StVZO approved	✓	✓
FEATURES	Light mode levels	3	4
	Brake light sensor (rear)	✓	✓
	Battery run time	up to 20/7 hrs	up to 20/7 hrs
	Charging time	3.5/1.5 hrs	3.5/1.5 hrs
	Battery replaceable	✓	✓
	Battery indicator	✓	✓
	Charge indicator	✓	✓
	Upside-down mounting	✓	✓
	GoPro bracket option	✓	✓
VISIBILITY	Illumination	100 m	120 m
	Visibility	5,500 m	6,500 m
	Visible from the side	✓	✓
INFO	Product weight	170 g	170 g
	Art. no	8006359	8006360
	EAN code	 8 713249 370156 >	 8 713249 370170 >

USB REAR LIGHT



Lighthammer Rear

SPECS	Visibility	300 m
	StVZO approved	✓
FEATURES	Brake light sensor	✓
	Emergency brake light	✓
	Battery replaceable	✓
	Battery indicator	✓
	Light hours	up to 7 hrs
	Charge indicator	✓
INFO	Compatible with mount	ZL 440
	Product weight	30 g
	Art. no	8006361
EAN code		
	8 713249 370194 >	



DYNAMO & E-BIKE LIGHTS

DYNAMO LIGHTS

**RELIABLE
POWER.**
ALWAYS
READY.

When consistency and independence matter, TRELOCK dynamo lights are the answer. Powered by motion, not batteries, they offer worry-free illumination in any weather. Ideal for long-distance riders, tourers, and cyclists who value sustainability and reliability.



E-BIKE LIGHTS

**ENGINEERED
FOR MODERN
E-MOBILITY.**

TRELOCK's E-Bike lighting systems seamlessly integrate with e-bike drive units, delivering powerful illumination directly from the bike's battery. High-lux output, durable housings, and German StVZO compliance make them the perfect upgrade for electrically assisted rides.



DYNAMO & E-BIKE LIGHTS

DYNAMO & E-BIKE LIGHTS

DYNAMO & E-BIKE LIGHTS



LS 800
Lighthammer



LS 805-T
Lighthammer

SPECS	Lux	60	60
	Power supply	6-12 V DC	Dynamo
	StVZO approved	✓	✓
FEATURES	Daytime running light	—	✓
	Steady light	—	✓
	Mounting	ZL 410	ZL 410
	Level function	—	—
	High beam	—	—
	E-Bike suitable	✓	—
VISIBILITY	Illumination	80 m	80 m
	Visibility	4,500 m	4,500 m
	Visible from the side	✓	✓
INFO	Product weight	65 g	65 g
	Art. no	8006141	8006142
	EAN code	 8 713249 330143 >	 8 713249 330167 >



LS 830-T
Lighthammer



L 835-T
Lighthammer



LS 890-T
Lighthammer

SPECS	Lux	80	80	100
	Power supply	6-12 V DC	Dynamo	12 V DC
	StVZO approved	✓	✓	✓
FEATURES	Daytime running light	✓	✓	✓
	Steady light	—	✓	—
	Mounting	ZL 410	ZL 410	ZL 410
	Level function	—	—	—
	High beam	—	—	—
	E-Bike suitable	✓	—	✓
VISIBILITY	Illumination	100 m	100 m	120 m
	Visibility	5,500 m	5,500 m	6,500 m
	Visible from the side	✓	✓	✓
INFO	Product weight	65 g	65 g	120 g
	Art. no	8006143	8006144	8006145
	EAN code	 8 713249 330181 >	 8 713249 330204 >	 8 713249 330228 >

E-BIKE LIGHTS

E-BIKE LIGHTS



SPECS		RISE 90-HB	RISE 120-HB
	Lux	90	120
	Power supply	12 V DC	12 V DC
	StVZO approved	✓	✓
FEATURES	Daytime running light	—	—
	Steady light	—	—
	Mounting	ZL HB 400	ZL HB 400
	Level function	—	—
	High beam	✓ 120 Lux	✓ 150 Lux
	E-Bike suitable	✓	✓
	S-pedelec suitable	—	—
VISIBILITY	Illumination	110 m	130 m
	Visibility	6,000 m	6,750 m
	Visible from the side	✓	✓
INFO	Product weight	99 g	99 g
	Art. no	8006350	8006351
	EAN code	 8 713249 372099 >	 8 713249 372075 >



DYNAMO & E-BIKE LIGHTS

DYNAMO & E-BIKE LIGHTS

DYNAMO & E-BIKE LIGHTS



LS 890-HB
Lighthammer



LS 990
Lighthammer 250

SPECS	Lux	100	200
	Power supply	12 V DC	12 V DC
	StVZO approved	✓	✓
FEATURES	Daytime running light	—	✓
	Steady light	—	—
	Mounting	ZL HB 400	ZL HB 400 + faceplate adapter
	Level function	—	✓
	High beam	✓ 130 Lux	✓ 250 Lux
	E-Bike suitable	✓	✓
	S-pedelec suitable	—	—
VISIBILITY	Illumination	120 m	170 m
	Visibility	6,500 m	8,000 m
	Visible from the side	✓	—
INFO	Product weight	120 g	265 g
	Art. no	8006146	8006212
	EAN code	 8 713249 330242 >	 8 713249 340883 >

S-PEDELEC LIGHT



LS 990
Lighthammer 300

SPECS	Lux	200
	Power supply	12 V DC
	StVZO approved	✓
FEATURES	Daytime running light	✓
	Steady light	—
	Mounting	ZL HB 400
	Level function	✓
	High beam	✓ 300 Lux
	E-Bike suitable	—
	S-pedelec suitable	✓
VISIBILITY	Illumination	170 m
	Visibility	8,000 m
	Visible from the side	—
INFO	Product weight	225 g
	Art. no	8006213
	EAN code	 8 713249 340906 >

S-PEDELEC CARRIER LIGHT



LS 654-S

SPECS	Power supply	6-12 V DC
	Visibility	600 m
	Assembly width	50 mm
	ECE approved	✓
FEATURES	S-pedelec suitable	✓
	Brake light	✓
	Automatic stand light	—
	Start-up sequence	—
	Including reflector	✓
INFO	Product weight	55 g
	Art. no	8006267
	EAN code	 8 713249 351445 >

DYNAMO & E-BIKE LIGHTS

CARRIER REAR LIGHTS



LS 651
COB-Line



LS 653
COB-Line



LS 654
COB-Line brake



LS 655
COB-Line brake

SPECS	Power supply	6-12 V DC	Dynamo	6-12 V DC	Dynamo
	Visibility	600 m	600 m	600 m	600 m
	Assembly width	50 mm	50 mm	50 mm	50 mm
	StVZO approved	✓	✓	✓	✓
FEATURES	E-Bike suitable	✓	—	✓	—
	Brake light sensor	—	—	✓	✓
	Automatic stand light	—	✓ 4 min	—	✓ 4 min
	Start-up sequence	✓	—	✓	—
	Including reflector	✓	✓	✓	✓
	Emergency brake light	—	—	✓	—
INFO	Product weight	55 g	55 g	55 g	55 g
	Art. no	8006034	8006036	8006259	8006037
	EAN code	 8 713249 303949 >	 8 713249 303987 >	 8 713249 350974 >	 8 713249 304007 >

FENDER REAR LIGHTS



LS 411
COB-Line



LS 414
COB-Line brake



LS 413
COB-Line



LS 415
COB-Line brake

SPECS	Power supply	6-12 V DC	6-12 V DC	Dynamo	Dynamo
	Visibility	600 m	600 m	600 m	600 m
	StVZO approved	✓	✓	✓	✓
FEATURES	E-Bike suitable	✓	✓	—	—
	Brake light sensor	—	✓	—	✓
	Automatic stand light	—	—	✓ 4 min	✓ 4 min
	Start-up sequence	✓	✓	—	—
INFO	Product weight	20 g	20 g	20 g	20 g
	Art. no	8006038	8006039	8006040	8006041
	EAN code	 8 713249 304021 >	 8 713249 304045 >	 8 713249 304069 >	 8 713249 304083 >

DYNAMO & E-BIKE LIGHTS

CARRIER REAR LIGHTS



LS 611
Duo Flat



LS 614
Duo Flat brake

SPECS	Power supply	6-12 V	6-12 V
	Visibility	500 m	500 m
	Assembly width	50 mm	50 mm
	StVZO approved	✓	✓
FEATURES	E-Bike suitable	✓	✓
	Brake light sensor	—	✓
	Automatic stand light	—	—
	Including reflector	✓	✓
INFO	Product weight	50 g	50 g
	Art. no	8005032	8005068
	EAN code	 4 016167 064331 >	 4 016167 064843 >

FENDER REAR LIGHT



LS 633
Duo Top

SPECS	Power supply	Dynamo
	Visibility	500 m
	Assembly width	—
	StVZO approved	✓
FEATURES	E-Bike suitable	—
	Brake light sensor	—
	Automatic stand light	✓ 4 min
	Including reflector	✓
INFO	Product weight	40 g
	Art. no	8003680
	EAN code	 4 016167 046870 >

BATTERY REAR LIGHT



LS 812
Trio Flat

SPECS	Power supply	2x AA batteries
	Visibility	500 m
	Assembly width	50 - 80 mm
	StVZO approved	✓
FEATURES	Brake light sensor	—
	Including reflector	✓
	Automatic light sensor	—
	Battery indicator	✓
	Running time	up to 65 hrs
	Charge indicator	—
INFO	Mount	ZL 720
	Product weight	70 g
	Art. no	8002304
INFO	EAN code	 4 016167 035225 >

LIGHTING BRACKETS

BRACKETS



ZL HB 400 - 254



ZL HB 400 - 318



ZL HB 400 - 350



ZL HB 100

SPECS	Handlebar diameter	Ø 25.4 mm	Ø 31.8 mm	Ø 35 mm	Ø 25.4 mm - Ø 31.8 mm
	Compatible with	Dynamo and E-bike front lights	Dynamo and E-bike front lights	Dynamo and E-bike front lights	Dynamo and E-bike front lights
INFO	Art. no	8006148	8006149	8006150	8005080
	EAN code	 8 713249 330280 >	 8 713249 330297 >	 8 713249 330303 >	 4 016167 065024 >



ZL 410



ZL 430



ZL 440

SPECS	Mount at	Fork	Faceplate	Under saddle
	Compatible with	Dynamo and E-bike front lights	Dynamo and E-bike front lights	COB Line Duo Line USB rear lights
INFO	Art. no	8006151	8006152	8006158
	EAN code	 8 713249 330310 >	 8 713249 330327 >	 8 713249 330570 >



ZL 810



ZL 830



ZL 840



ZL 850

SPECS	Mount at	Fork	Fork	Fork	Fork
	Compatible with	Dynamo and E-bike front lights	Dynamo and E-bike front lights	Dynamo and E-bike front lights	Dynamo and E-bike front lights
INFO	Art. no	8003033	8003039	8002125	8003453
	EAN code	 4 016167 041332 >	 4 016167 041370 >	 4 016167 033641 >	 4 016167 044906 >



ZL 860



ZL 870



ZL 940



Suntour Mobie
ZL 950

SPECS	Mount at	Fork	SUNTOUR CR8/NEX	Fork	Fork
	Compatible with	Dynamo and E-bike front lights	Dynamo and E-bike front lights	Dynamo and E-bike front lights	Dynamo and E-bike front lights
INFO	Art. no	8004123	8002127	8005214	8005216
	EAN code	 4 016167 050785 >	 4 016167 033665 >	 4 016167 068155 >	 4 016167 068209 >

LIGHTING BRACKETS

BRACKETS



ZL 970



ZL 990

SPECS

Mount at	SUNTOUR CR8/NEX	Fork
Compatible with	Dynamo and E-bike front lights	Dynamo and E-bike front lights

INFO

Art. no	8004057	8005222
EAN code	 4 016167 050181 >	 4 016167 068438 >



LIGHTING ACCESSORIES

ADAPTERS



ZL 480 Garmin

SPECS	Mount at	Handlebar
	Compatible with	Lighthammer 40, 80, 100 and Pulse USB-C front light
INFO	Art. no	8006240
	EAN code	 8 713249 343839 >

REAR STAY BRACKETS



ZL 630



ZL 631

SPECS	Type	COB	COB
	Art. no	8003872	8003873
INFO	EAN code	 4 016167 048546 >	 4 016167 048553 >



LIGHTING ACCESSORIES



E-BIKE LIGHTING

HOW TO CHOOSE THE RIGHT E-BIKE LIGHTING

When buying lights for your e-bike, it is important to match the technical data of the front and rear lights with your e-bike system to ensure optimum function and safety.

THIS IS HOW YOU DO IT

1. Check the voltage (volts)

The voltage of the light must match the voltage of your e-bike system. Only then can the light operate correctly.

2. Observe power (watts)

The wattage of the light must not exceed the maximum output of your e-bike system. The total power of the front and rear lights must be taken into account.

3. Include rear light output in the calculation

The wattage of the rear light must be included in the total power to avoid overloading the system.

4. Contact the dealer in case of uncertainty

If you are unsure or have any questions about compatibility, please contact your specialist dealer. They will be able to give you comprehensive advice based on the technical data.

This procedure ensures that your e-bike lighting is technically compatible and works reliably. By the way: All our lights are equipped with reverse polarity protection. Mixing up + and - does not damage the light.





LUX VS. LUMEN

WHAT'S THE DIFFERENCE?

Lumen measures how much total light a lamp emits. **Lux** measures how much light actually reaches a surface. For cyclists, Lux is the more important value. It tells you how well you can see the road ahead.

WHY LUX MATTERS MORE

A high-lumen light can still leave you in the dark if it's not focused properly. Lux reflects the usable brightness on the road in front of you. That's why all TRELOCK front lights focus on optimised beam patterns with strong Lux ratings.



SEE AND BE SEEN

WHY ILLUMINATION AND VISIBILITY MATTER FOR CYCLISTS

When it comes to cycling, safety starts with visibility. Whether you're commuting through city streets, riding at dusk, or navigating early morning trails, being able to see clearly and be seen by others is essential for every cyclist.

Proper illumination ensures that obstacles, road signs, and other vehicles are visible in time to react. It's not just about brightness - the beam pattern and direction also play a vital role. Our high-quality bike lights focus the light where it matters most: on the road ahead, without dazzling oncoming traffic.

But many accidents happen because riders weren't seen. Naturally, a good light should not only make you see the road clearly but also make yourself noticeable to others. In urban environments, where cyclists share the road with cars, pedestrians, and public transport, being seen from all

angles significantly reduces the risk of accidents. Rear lights, reflectors, and high-contrast gear are all part of well-rounded visibility.

At TRELOCK, we believe that performance and safety go hand in hand. Our lighting systems combine powerful illumination with German engineering precision to maximise both visibility and peace of mind. Because every ride deserves to be safe. Day and night.



GERMAN ADMISSION REGULATIONS

Cycling safety starts with visibility. At TRELOCK, we take that seriously. That's why our lighting systems comply with StVZO.

WHAT IS STVZO?

StVZO stands for the "Straßenverkehrszulassungsordnung" – the German Road Traffic Licensing Regulation. Lights approved under StVZO meet strict standards for safety, brightness, and beam shaping. They ensure that cyclists see the road clearly without blinding other traffic.

WHY STVZO MATTERS

StVZO-approved lights are more than a legal requirement in many EU countries. They're a guarantee of safety and reliability. They provide focused illumination, ideal for real-life riding conditions, especially in traffic-heavy or dark environments.

Our StVZO-approved lights are not just a legal requirement in Germany and other European countries—they're a mark of quality, ensuring reliable illumination without dazzling oncoming traffic.



EFFICIENT AND SUSTAINABLE

WORKSHOP BOX

As a special service for workshops, we offer our efficient workshop boxes. They are specifically designed for use in bicycle repair shops. Each box contains 1 product in its original packaging, as well as 9 unpackaged products. The product in original packaging serves for in-store product presentation, while the unpackaged products reduce space consumption and waste in the workshop.

The boxes are available for these products:

LOCKS

RS 560 NAZ	8006293
RS 560 AZ	8006294
RS 561 NAZ	8006295
RS 561 AZ	8006296
RS 481 XXL AZ	8006065
Mounting caps RS 560	52109995
Mounting caps RS 561	52309995
ZR 20	8003956

LIGHTING

LS 830-T Lighthammer	8006286
LS 800-T Lighthammer	8006287
LS 651 COB-Line E	8006288
LS 613 Duo Flat 80 mm	8003062
LS 613 Duo Flat 50 mm	8003031



STORE SUPPORT

We are always interested in building long-term partnerships that are worthwhile for both sides. That's why we are constantly working on new solutions to support our partners. Whether with product presentations at the POS or access to our large digital media library - we are here to support! Please feel free to contact us.

Find more detailed information about your personal contact on the next page.



GET IN TOUCH

UNLOCK YOUR
BEST RIDE

Our dedicated sales team is here to support you with expert advice, tailored solutions, and seamless service. Reach out to discover how TRELOCK’s precision-engineered products can empower your customers’ next ride.



Our team is structured by region and includes specialists in direct sales and key account management. They are also supported by our first-class customer service team. Scan the QR code to go directly to the contact details of your personal contact person.

INDEX

FOLDING LOCKS	8	CHAIN LOCKS	32	CARRIER REAR LIGHTS	64
FS 280 TWO.G0®	8	BC 115 60-4	32	LS 611 Duo Flat	64
FS 280 TWO.G0®	8	BC 115 110-4	32	LS 614 Duo Flat brake	64
FS 280 TWO.G0® Code	8	BC 115 60-4 Code	32	FENDER REAR LIGHT	65
Fold-It DAILY 110	11	BC 115 110-4 Code	32	LS 633 Duo Top	65
Fold-It DAILY 130	11	BC 280 85-5	33	BATTERY REAR LIGHT	65
FS 480 COPS®	13	BC 280 85-5 Code	33	LS 812 Trio Flat	65
FS 480 COPS® Twin	13	BC 380 85-7	33	BRACKETS	66
FS 480 COPS®	13	BC 380 110-7	33	ZL HB 400 - 254	66
FS 580 TORO®	13	BC 360 110-6 Code	34	ZL HB 400 - 318	66
FOLDING LOCK ACCESSORIES	14	BC 480 85-8	36	ZL HB 400 - 350	66
ZF 280/80 X-MOVE	14	BC 480 110-7.5 Code	36	ZL HB 100	66
ZF 280/100 X-MOVE	14	BC 480 110-8	36	ZL 410	66
FS 380/85 X-PRESS	14	BC 480 170-7.5 Code	36	ZL 430	66
FS 380/100 X-PRESS	14	BC 580 110-9	37	ZL 440	66
Fold-It DAILY 110 X-PRESS	14	BC 680 110-9.5	37	ZL 810	67
Fold-It DAILY 130 X-PRESS	14	LC 680 110-9.5	37	ZL 830	67
ZF 480/100 X-PRESS	14	BA 660 Ground Anchor	37	ZL 840	67
ZF 480/130 X-MOVE	14	CABLE LOCKS	40	ZL 850	67
ZF 580/90 X-PRESS	15	KS 106 Black	40	ZL 860	67
Add-it	15	KS 312 85 cm	40	ZL 870	67
STRAP X-MOVE FS 280	15	KS 415 110 cm	40	ZL 940	67
STRAP X-MOVE FS 380	15	KS 312 85 cm Code	41	Suntour Mobie ZL 950	67
STRAP X-MOVE FS 480/100	15	KS 312 110 cm Code	41	ZL 970	68
RING LOCKS	18	KS 415 110 cm Code	41	ZL 990	68
RS 560 AZ	18	SK 108 180 cm	42	ADAPTERS	70
RS 560 NAZ	18	SK 210 180 cm	42	ZL 480 Garmin	70
RS 561 AZ	18	SK 312 180 cm	42	REAR STAY BRACKETS	70
RS 561 NAZ	18	SK 415 180 cm	42	ZL 630	70
RS 480 AZ	19	SK 108 180 cm Code	44	ZL 631	70
RS 480 NAZ	19	SK 210 180 cm Code	44		
RS 481 AZ	19	SK 312 180 cm Code	44		
RS 481 NAZ	19	SK 415 180 cm Code	44		
RING LOCK SETS	20	PK 260 100 cm	45		
RS 430 AZ Set	20	PK 360 100 cm	45		
RS 480 AZ Set	20	PK 460 100 cm	45		
RS 480 NAZ Set	20	PK 560 100 cm	45		
RS 560 AZ Set	20	PK 260 Code 100 cm	46		
RS 560 NAZ Set	20	PK 360 Code 100 cm	46		
RS 561 AZ Set	20	CABLE LOCKS BRACKETS	46		
RS 561 NAZ Set	20	ZK 108	46		
PLUG-IN CHAINS	21	ZK 234	46		
ZR 355	21	Strap it Black	47		
ZR 355	21	Strap it Pink	47		
PLUG-IN CHAINS SETS	22	Strap it Blue	47		
ZR 355 Set	22	RK 75 Pocket	47		
ZR 355 Set	22	USB LIGHT SETS	52		
ZR 455 Set	22	Lighthammer 80 Set	52		
ZR 455 Set	22	Lighthammer Set 100	52		
PLUG-IN CABLES	22	USB REAR LIGHT	53		
ZR 310	22	Lighthammer Rear	53		
ZR 310	22	DYNAMO & E-BIKE LIGHTS	56		
ZR 310	22	LS 800 Lighthammer	56		
RING LOCK BRACKETS	23	LS 805-T Lighthammer	56		
ZR 20 1 piece	23	LS 830-T Lighthammer	57		
ZR 20 Set of 10	23	L 835-T Lighthammer	57		
BAG AND POUCH	23	LS 890-T Lighthammer	57		
Saddle bag	23	E-BIKE LIGHTS	58		
Pouch	23	RISE 90-HB	58		
U-LOCKS	26	RISE 120-HB	58		
U4 MINI	26	DYNAMO & E-BIKE LIGHTS	60		
U4	26	LS 890-HB Lighthammer	60		
U4 FLEX	26	LS 990 Lighthammer 250	60		
U4 PLUS	26	S-PEDELEC LIGHT	61		
U5 MINI	27	LS 990 Lighthammer 300	61		
U5 MINI FLEX	27	S-PEDELEC CARRIER LIGHT	61		
U6	27	LS 654-S	61		
U6 L	27	CARRIER REAR LIGHTS	62		
U-LOCK ADDITIONAL CABLES	28	LS 651 COB-Line	62		
ZS 150	28	LS 653 COB-Line	62		
ZS 180	28	LS 654 COB-Line brake	62		
U-LOCK BRACKETS	28	LS 655 COB-Line brake	62		
ZB 401	28	FENDER REAR LIGHTS	63		
ZB 402	28	LS 411 COB-Line	63		
ZB 403	28	LS 414 COB-Line brake	63		
ZB 501	28	LS 413 COB-Line	63		
		LS 415 COB-Line brake	63		

QUESTIONS OR FEEDBACK?

You can reach us by e-mail at trelock@allegion.com,
by phone at +49 251 / 919 990 or visit us at [trelock.de](https://www.trelock.de)

2026-06

About Allegion™

Allegion (NYSE: ALLE) is a global pioneer in the field of safety and security. We keep people and their property safe, wherever they are, bringing together simple solutions and advanced technology. Allegion is a \$ 3,7 billion company, with products sold in almost 120 countries.



AXA ■  BRICARD ■ Briton ■  CISA ■ interflex 
KRYPTONITE ■ NORMBAU ■ Simons  Voss ■ TRELOCK
technologies

© 2026 Allegion
[allegion.com](https://www.allegion.com)